HP Designjet 8000sr Printer



From small signs to large banners, this 64 in/1626 mm printer is the perfect tool for any print or sign shop. Experience a breakthrough price/performance combination with this low-solvent large-format device for a wide range of long-lasting applications.

Print more, pay less

- · Heavy-duty HP printheads and HP supplies for maximum productivity. Experience high-speed printing with six heavyduty Piezo printheads that come with 256 nozzles per printhead for a total of 1,536 nozzles. 500 ml, HP 780 ink cartridges are designed to meet your usage needs.
- · Produce striking signs with this in-the-box RIP: Onyx® SignEZ v7.0 for HP Designjet. Providing you with the essential tools to get started, this software RIP is easy to use and navigate, has basic color correction tools, basic nesting and tiling, and support for contour cutting workflow.
- Enable long, unattended print runs for improved productivity with optional Take-Up Reel Kit. This optional accessory enables busy print and sign shop employees to be more productive by maximizing unattended printing with four winding modes: slack/face-in, slack/face-out, tight/face-in, and tight/face-out.
- · Minimize your costs and get lasting output on uncoated media. Count on excellent quality output on a range of low cost, uncoated materials, such as adhesive vinyls, films, banner stocks, papers, and fabrics.

Vivid colors with excellent durability

- Wow your clients with vivid color output that shines brightly. Create signs, banners, and large graphics with such vivid color, they radiate success. Sophisticated HP "low-solvent" ${\mathfrak n}$ ink formulations and printhead technology enable a higher concentration of colorants in the inks to produce a wider gamut of rich, saturated color. The result - more vivid color for high impact image quality.
- HP low-solvent inks excellent durability without lamination on low-cost, uncoated media. Designed with the HP Designjet 8000s Printers, HP low-solvent ink formulations produce durable prints that resist fading for up to three years without lamination and are scratch, smear, and crack resistant.(2
- · Premium image quality HP printing materials designed with HP low- solvent inks. With HP Premium Scrim Banner, HP Universal Scrim Banner, HP Premium Backlit Film, HP Blue Back Satin Billboard Paper, HP Satin Canvas, and HP Translucent PVC Display Film, get premium image quality and high opacity.

A comprehensive and easy to use HP solution

• A remarkably user-friendly solution. No need for highlyskilled operators. Conveniences such as the manual cutter and easy media loading system ensure user-friendly operation. Maintenance and cleaning is hassle-free thanks to the easily accessible, self-contained tools and the clear instructions included.



- At HP, we make it easy for you to grow your business with this comprehensive, scalable solution. Not only does HP deliver a reliable, top-quality printer, we also provide the optional accessories you need as your business grows to produce multiple signage applications - including a Take-Up Reel Kit, High Speed Dryer, and Air Purifier System easily and efficiently.
- Purchase your large-format printer and the supplies you need from your one-stop shop: HP. Getting your business up and running couldn't be easier when you choose HP. Purchase the hardware and the supplies you need including HP ink supplies and HP printing materials - from a single vendor.

Safety and support-at HP, your needs come first

- · Have a clean, safe print environment with an integrated air purifier created for HP Designjets. This printer-connected system uses a sealed, carbon-activated filter and highpowered fan to filter air at a rate consistent with the print speed and the number of volatile organic compounds released during the printing process.
- HP guidelines help make HP low-solvent ink printing safe, productive, and easy. Following HP's installation and use guidelines helps you achieve a reliable and productive low-solvent ink printing solution and helps you address environmental, health, and safety questions about printing with HP low-solvent inks. To learn more, visit www.hp.com/go/ehs.
- Designed together for HP quality and reliability.
 - The HP Designjet printing system printers, low-solvent inks, ink cartridges, printheads, and printing material - is engineered to work with precision and must meet strict HP quality standards. Reliable operation saves you time and improves your productivity.
- HP offers the cleaning supplies and replacement ink cartridges needed to maintain your system. HP training and guidelines help you implement environmentally responsible and safe practices for the purchase, installation, operation, handling, and maintenance of HP low-solvent printing supplies.
- Experience peace of mind, knowing you're covered with HP's award-winning service and support. HP's customer service and support backs every product with fast, knowledgeable online e-Support available 24/7 at www.hp.com/support, and easy-to-access phone support provided by HP trained agents. Plus, you can enhance your warranty protection with the purchase of affordable HP Care Pack Services.
- 10 HP "low-solvent" into are defined according to what is contemp shown in the solution of 22 language permanence and application durability under typical exposure in vertical display conditions and varies as environmental conditions change.











Easy media loading



HP Designjet 8000sr Printer

- 1. Up to 64 in/1626 mm wide
- 2. Six HP 780 ink cartridges, 500 ml each
- 3. Interactive front panel
- 4. USB 2.0 Hi-speed connectivity
- 5. 3 Integrated heaters
- 6. Easy media-loading
- Exhaust attachment for efficient removal of Volatile Organic Compounds (VOC) included in the printer box
- **8.** Printhead height adjustable to 2 different positions
- 9. Manual cutter
- 10. Container for cleaning kit





HP Designjet 8000sr Printer at a glance

HP Designjet 8000sr Printer

In the box

HP Designjet 8000s Printer,
Onyx® SignEZ v7.0 for HP Designjet*

 $^*\mbox{Onyx}^{\tiny{(1)}}\mbox{SignEZ v7.0}$ for HP Designjet IS NOT available as a standalone accessory

Optional accessories

- HP Designjet Air Purifier System
- HP Designjet 8000s Take-Up Reel Kit
- HP Designjet High Speed Dryer
- Onyx® PosterShop® 7.0 for HP Designjet
- HP Designjet 8000s Cutter Blade Kit
- HP Designjet APS filter

The HP Designjet 8000s Printer series, HP low-solvent ink cartridges, and printing material were all designed, engineered and tested together to ensure uncompromising reliability, image quality, durability, performance and ease of use. The total HP printing solution is composed of the following accessories:

HP Designjet 8000s Take-up Reel Kit

- Print long runs or on long printing materials. Does your shop have more to print than it can keep up with? Extend its periods of continuous, unattended printing. This take-up reel re-rolls printed media, allowing for long print runs - for example, overnight - and printing on long printing materials.
- Rely on heavy-duty media feed and take-up system. This accessory turns and winds up onto a reel printed media. Print long runs, on long printing materials, and easily handle completed prints. Sturdy reel supports four positions-slack/face-in, slack/faceout, tight/facein, and tight/face-out.
- Improve workplace efficiency. With this media take-up reel, print and sign shop employees can make the most of their time and be more productive. Shops better meet client deadlines by maximizing unattended printing - even overnight - and efficiently collecting prints for finishing.





HP Designjet Air Purifier System
Put your confidence in HP. Add this air purifier system (APS) - specially designed for HP low-solvent inks - to your HP Designjet printer for highly efficient air filtration. The APS includes the tubes that connect to the printer. Count on HP for a clean, safe* print environment

- Highly effective carbon filter removes hazardous substances released from solvent inks.
- · Return cleaned air to the working area or divert it outside. This air purification system is equipped with a standard sealing device, and collected pollutants are led automatically through the filter.

Easily operate with front-panel display unit

- · Access air purification system data through a front-panel display unit.
- Easily replace the filter through the front door on the system.
- * When used appropriately, according to the product's guidelines.

HP Designjet High Speed Dryer

Add this high-speed dryer to your HP Designjet 8000s Printer and accelerate drying time.

Improve productivity - dryer reduces drying time

• Dry prints as quickly as the automatic take-up reel can roll them up. With the high-speed dryer and take-up reel, you can complete jobs at a rate of up to 165 ft²/hour (15.3 m²/hour). The integrated dryer and take-up reel enable unattended print runs.

Easily operate high-speed dryer

- Completely dry prints with user-adjustable heater and blower unit. Use variable controls on top of the dryer unit to set the heater temperature and to adjust the fan airflow.
- Dryer's off timer allows unattended drying for up to 12 hours

Count on a dryer that was designed for safety

· Built for high-volume, commercial print environments





7.0 for HP Designiet

If you need to upgrade to a more powerful software RIP solution and color workflow, use this Onyx® PosterShop® RIP to print job after job of the best colors your printer can produce. Efficiently manage jobs and handle production with job preflight and printer queue tools.



HP Designjet 8000sr Printer

Technical specifications

Print speed		
High quality	44 ft ² /hr (4.08 m ² /hr), color image on vinyl media	
Normal	88 ft²/hr (8.17 m²/hr), color image in vinyl media	
Draft normal	110 ft²/hr (10.2 m²/hr), color image on vinyl media	
Fast	165 ft²/hr (15. 3 m²/hr), color image on vinyl media	
Print resolution maximum	720 x 720 dpi	
Print margins		
Normal	(Top x bottom x right x left): 0.2 x 0.2 x 0.2 x 0.2 in/5 x 5 x 5 x 5 mm	
Using paper edge guard	(Top x bottom x right x left): 0.2 x 0.4 x 0.2 x 0.4 in/5 x 10 x 5 x 10 mm	
Memory	192 MB	
Media		
Handling	Sheetfeed, roll feed, optional take-up reel, manual cutter	
Types	Paper, self-adhesive vinyl, banner scrim, films, fabrics	
Thickness	0.002 - 0.024 in/0.07 - 0.63 mm	
Printhead height	0.826 to 0.102 in/2.1 to 2.6 mm	
Maximum width	64 in/1626 mm	
Maximum roll weight	52.9 lb/24 kg	
Printing	· · · ·	
Technology	Piezo-electric inkiet heads	
Technology resolution	720 x 720 dpi	
Print cartridge colors	Cyan, magenta, yellow, black, light cyan, light magenta	
Ink types	HP low-solvent inks	
Ink drop	12 pl	
Ink cartridge size	500 ml	
Nozzles	256 nozzles per head x 6 colors	
Maximum print length	49 ft/15 m (RIP dependent)	
Print accuracy	\pm 0.3 % or \pm 5 mm whichever is larger	
Heater		
Integrated	3 independent heating systems	
Heater locations	Front, print and rear areas	
Heater settable temperature	59 to 131 °F/ 15 to 55 °C	
Interfaces (Standard)	USB 2.0 Hi-speed	
Dimensions (w x d x h)	200 2.0 111 00000	
Printer	112 x 32.6 x 49.4 in/2846 x 830 x 1255 mm	
Shipping	116.5 x 38.5 x 36.6 in/2960 x 980 x 930 mm	
Weight	110.0 X 00.0 X 00.0 III) 2700 X 700 X 700 IIIII	
Printer	478 lb/217 kg	
Shipping	708 lb/321 kg	
What's in the box	, 00 ib/ 021 ing	
HP Designjet 8000sr Printer	HP Designjet 8000s Printer, USB cable, coated paper, cleaning kit, ink cartridges (500 ml x 6),	
	ink box cover, printhead set (6), waste-ink bottle holder, waste ink bottle (2), exhaust	
	attachment kit, stand assembly including screws and open ended spanner, pipe for media	
	support, media support holder (2), media support stay (2), screws and screwdriver for	
	assembly, power cord, CD (containing user guide, legal information and maintenance	
	guide), hard copy users guide & maintenance guide, 3 inch paper roll flanges (2), paper ro	
	flange spacer (2), Onyx® SignEZ v7.0	
	ildinge spacer (z), Onlyx® signez v7.0	

44 ft²/hr (4.08 m²/hr), color image on vinyl media		
88 ft²/hr (8.17 m²/hr), color image in vinyl media		
110 ft²/hr (10.2 m²/hr), color image on vinyl media		
165 ft ² /hr (15. 3 m ² /hr), color image on vinyl media 720 x 720 dpi		
720 x 720 api		
(Top x bottom x right x left): 0.2 x 0.2 x 0.2 x 0.2 in/5 x 5 x 5 x 5 mm		
(Top x bottom x right x left): 0.2 x 0.4 x 0.2 x 0.4 in/5 x 10 x 5 x 10 mm		
192 MB		
Sheetfeed, roll feed, optional take-up reel, manual cutter		
Paper, self-adhesive vinyl, banner scrim, films, fabrics		
0.002 - 0.024 in/0.07 - 0.63 mm		
0.826 to 0.102 in/2.1 to 2.6 mm		
64 in/1626 mm		
52.9 lb/24 kg		
De la contrata de		
Piezo-electric inkjet heads		
720 x 720 dpi		
Cyan, magenta, yellow, black, light cyan, light magenta HP low-solvent inks		
12 pl		
500 ml		
256 nozzles per head x 6 colors		
49 ft/15 m (RIP dependent)		
± 0.3 % or ± 5 mm whichever is larger		
3 independent heating systems		
Front, print and rear areas		
59 to 131 °F/ 15 to 55 °C		
USB 2.0 Hi-speed		
330 00 4 40 44 400 44 000 3055		
112 x 32.6 x 49.4 in/2846 x 830 x 1255 mm		
116.5 x 38.5 x 36.6 in/2960 x 980 x 930 mm		

Minimum PC operating system requirements for the Onyx® SignEZ 7.0 and the Onyx® PosterShop® 7.0 for HP Designjet Windows XP Pro with latest SP, Windows 2000 Pro with latest SP, Intel Pentium 3 or higher, Athlon, 2.5 GHz or higher, Dual CPC for multiple RIPs, one 80 GB Hard Drive (preferably two 80 GB Hard Drives for optimal perfomance), 1 GB RAM per CPU, 1280×768 16 bit color display, one USB Port required for security key, DVDROM drive

Environmental ranges

Recommended operating temperature Storage temperature Recommended humidity range

Sound pressure, active Sound pressure, standby

Power consumption Printer active

Printer with Heater active Printer standby Heater standby

Power requirements

Printer

Certification

Safety certification

Regulatory certification

Printe Printheads 59 to 86 °F/15 to 30 °C 41 to 95 °F/5 to 35 °C 30 to 70% RH

67.9 dB (A) 50.2 dB (A)

150 watts 1350 watts

100 to 120 VAC (+/- 10%), 50/60 Hz +/-1 Hz, 1.3 amp; 230 VAC (+/- 10%), 50/60 Hz +/- 1Hz, 0.75 amp 100 to 120 VAC (+/- 10%), 50/60 Hz +/- 1Hz, 9.5 amp; 230 VAC (+/- 10%), 50/60 Hz +/- 1 Hz, 5.0 amp

Compliant with IEC 60950, including EU LVD and EN60950, CSA certified for US and Canada, Mexico, NYCE, Argentina, IRAM, Singapore PSB, Russia VNIIS

Compliant with Class A requirements including EU (EMC Directive), USA (FCC rules), Canada (DoC), Australia (ACA), New Zealand (MoC), Japan (VCCI), Korea (MIC), Taiwan (BSMI)

One year system warranty One year warranty

© 2006 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

For more information, visit our website at www.hp.com/go/designjet8000s

Accessories - technical specifications

HP Designjet Air Purifier System	
What's in the box	HP Designjet Air Purifying unit with
	2 filter elements inside, APS printer
	connection set, user's guide, power
	cord in compliance with regional
	power
Product weight	209 lb/95 kg plus tube connections
Package weight	253 lb/115 kg
Product dimensions	14.3 x 31.5 x 31.3 in
	365 x 801 x 797 mm
Package dimensions	22.4 x 35.4 x 44.8 in
_	570 x 900 x 1140 mm
Power consumption	1600 watts
Fan power	12713 ft ³ /hr (360 m ³ /hr)
HP Designjet High Speed Dryer	
What's in the box	Dryer unit, support stay, foot with
	castor (2), stand (2), M5 x 12L
	hexagon socket head bolt (16),

Product weight Package weight **Product dimensions**

Package dimensions

Power consumption

HP Designjet 8000s Take-Up Reel Kit

Package weight **Product Dimensions**

Package dimensions

Product weight

Maximum media roll weight

hexagon bar wrench, user's guide, power cord in compliance with regional power connections 88 lb/40 kg 132 lb/60 kg 95.1 x 24 x 35.5 in 2416 x 612 x 903 mm 99.6 x 27 x 13 in 2530 x 690 x 335 mm 2750 watts

Take-up reel unit, take-up reel sub-unit, plate assembly right, plate assembly left, IR-LED assembly, tension roller assembly, attachment flange, paper tube, clamp guide (2), washer (3), M5x10 screws (9), cable assembly, installation guide

55 lb/25 kg 63.9 lb/29 kg 78.7 x 19.7 x 27.6 in 2000 x 500 x 700 mm 78.7 x 29.2 x 16.9 in 2000 x 472 x 430 mm 52.9 lb/24 kg

Ordering information

More HP media sizes available at ww.hp.com/go/designjet/supplies