EXCEPTIONAL PRODUCTIVITY FOR YOUR OFFICE







THE RIGHT MULTIFUNCTIONAL FOR YOUR TEAM

The new TASKalfa 180, 220, 181 and 221 are highly flexible multifunctional devices for documents up to A3 in size. Output speeds of up to 18/22 pages per minute (A4) and 8/10 pages per minute (A3) give them enough power to take care of your everyday tasks and answer your growing office demands. Their image resolution of 600 dpi with 256 greyscales means that copy quality is superb. Add optional print (TASKalfa 180/220), scan and fax functions for even greater flexibility or an additional paper cassette to keep the work flowing on larger jobs. Alternatively, choose the optional duplex unit for double-sided printing to reduce your paper costs and make these economical multifunctionals even more efficient and environmentally conscious. Whatever your needs, the flexibility, compact design and user-friendly operation of the TASKalfa 181, 220, 181 and 221 make them the right choice for your office.

EFFICIENCY FOR YOUR OFFICE

Excellent functionality, reliability and productivity – all in a stylish new design: that sums up KYOCERA's new TASKalfa range. The exceptional reliability of KYOCERA's long-life components forms the basis for this range of office devices. From the bottom cassette grip all the way up to the convenient control panel, everything has been designed and optimised to provide maximum functionality.

TASKalfa 180/220 & 181/221 HIGHLIGHTS:

- Up to 18/22ppm A4 and 8/10ppm A3
- Time to first copy: 5.7 seconds or less
- Standard network print function (TASKalfa181/221)
- Optional GDI print function (TASKalfa 180/220)
- Optional duplex unit for cost-saving double-sided printing
- Optional 50-sheet reversing document processor for effortless copying, scanning and faxing
- 600 dpi laser technology with 256 greyscale copying for crisp text and realistic photos
- TASKalfa 180/220/181: 350-sheet, standard paper capacity (expandable to 1,250 sheets)
- TASKalfa 221: 650-sheet standard paper capacity (expandable to 1,250 sheets) standard paper capacity (expandable to 1,300 sheets)
- Long-life components for exceptional efficiency and reliability

READY TO GROW WITH YOUR INDIVIDUAL NEEDS

These highly efficient multifunctional devices are a great help in day-to-day office routines. Their durable components guarantee efficient, reliable operations. And with options such as additional paper cassettes, a document processor for double-sided input, a job separator or an internal finisher that staples up to 30 sheets, they can be tailored to your company's specific needs.

Base version

One or two 300-sheet cassettes and a 50-sheet multi-purpose tray provide a generous paper reserve.

Extended base functionality

The optional document processor DP-420 automatically reverses paper for easy double-sided scanning and copying.



Base configuration TASKalfa 180/220/181 with platen cover (E)



Base configuration TASKalfa 221 with platen cover (E)



TASKalfa 221 with DP-420

High capacity


Two or three (model-dependent) additional 300-sheet paper cassettes enable fast, convenient access to multiple paper types. The internal job separator JS-420 lets you organise jobs efficiently.



TASKalfa 221 with 2x PF-420 + JS-420 + DP-420

Flexibility

The compact internal finisher DF-420 offers stapling of up to 30 pages for professionally finished documents on the TASKalfa 181/221.



TASKalfa 221 with 2x PF-420 + DF-420 + DP-420

TASKalfa 180/220 & 181/221

A3 MONOCHROME MULTIFUNCTIONALS



The TASKalfa 180, 220, 181 and 221 incorporate extremely durable components that guarantee efficient and reliable operation to meet the demanding requirements of busy office environments. They provide effective productivity and maximise uptime whilst ensuring a minimum impact on the environment.

Technology: KYOCERA Laser, Mono component

Type: Desktop

Engine speed

TASKalfa 180/181: Max. 18/8 pages per minute A4/A3 TASKalfa 220/221: Max. 22/10 pages per minute A4/A3 Resolution

600 x 600 dpi 256 grevscales (scan/copy). Fast 1,200 dpi (1,800 dpi level x 600 dpi), 2,400 x 600 dpi with KIR (print)

Warm-up time: 17.2 seconds or less from power on Time to first copy: 5.7 seconds or less

Dimensions (W x D x H) TASKalfa 180/220: 568 x 546 x 502mm

TASKalfa 181: 568 x 594 x 502mm TASKalfa 221: 568 x 594 x 607mm

Weight TASKalfa 180/220: Approx 33kg TASKalfa 181: Approx 34kg TASKalfa 221: Approx. 40kg

Power source: AC 220 ~ 240 V, 50/60 Hz

Power consumption

TASKalfa 180: Printing: 424 W - Stand-by: 60 W -Sleep monde: 2.6 W TASKalfa 220: Printing: 437 W - Stand-by: 60 W -Sleep mode: 2.6 W TASKalfa 181: Printing: 421 W - Stand-by: 63 W -Sleep mode: 6.2 W TASKalfa 221: Printing: 450 W - Stand-by: 63 W -Sleep mode: 6.2 W

Noise (ISO 7779/9296) Printing: 65.3/66.7 dB(A)

Stand-by: 40 dB(A) Safety standards

GS. TÜV. CF

These units are manufactured according to ISO 9001 quality standard and ISO 14001 environmental standard.

All paper capacities guoted are based on a paper thickness of max. 0.11mm. Please use paper recommended by KYOCERA under normal environmental conditions

Input capacity

TASKalfa 180/220/181: 300-sheet universal paper cassette, 64-105 g/m², A3, A4, A5, Ledger, letter, Legal, Folio 50-sheet multi-purpose tray, 45-160 g/m², A3, A4, A5, A6, Ledger, Letter, Legal, Folio, Custom (98 x 148mm to 297 432mm); max. 1,250 sheets (4 paper feeders) TASKalfa 221: 2 x 300-sheet universal paper cassette 64-105 g/m², A3, A4, A5, Ledger, Letter, Legal, Folio 50-sheet multi-purpose tray, 45–160 g/m², A3, A4, A5, A6, Ledger, Letter, Legal, Folio, Custom (98 x 148mm to 297 x 432mm); max. 1,250 sheets (4 paper feeders)

Output capacity: 250 sheets face-down

Max. original size: A3

Continuous copying: 1-999

Memory capacity

0905BR0 181 221/EM0

TASKalfa 180/220: Standard 32MB, max. 160MB TASKalfa 181/221: Standar 64MB, max, 192MB (1 additional slot for 128MB)

Zoom range: 25-400 % in 1 % steps

Present magnification ratios: TASKalfa 181/221: 5R / 5E Exposure mode: auto, manual

Image adjustments: text + photo, text, photo

Digital copy features

Energy save mode, interrupt copy, scan-once-print-many, electronic sort, rotate sort, rotate sort copy*, automatic paper selection, duplex**, stapling***, layout mode (2-in-1, 4-in-1), split copy, margin shift, border erase, ECOcopy mode, program key mode, department code (100)

www.kyoceramita.co.uk, info@kyoceramita.co.uk

KYOCERA Mita (UK) Ltd, 8 Beacontree Plaza, Gillette Way, Reading RG2 0BS Tel: 0118 931 1500, Fax: 0118 931 1108

* PF-420 is required on TASKalfa 180/220/181

** DU-420 required ***Only available with TASKalfa 181/221, DF-420 required

Print functions (TASKalfa 180/220 option)

CPU ARM 946-S @ 150MHz, Flex R1SC

Memory

32MB

Emulations Host-based printing system for all current Windows operating systems

Standard Interface

USB 2.0 (Hi-speed)

Print functions (TASKalfa 181/221 option)

CPU PowerPC 440 @ 500 MHz

Memory Standard 128MB, max. 1,152MB (1 additional slot for 1GB) + hard disc drive

Interfaces Standard interface

USB 2.0 (High-speed), 10Base-T/100Base-TX standard, KUIO LV Option interface slot, CF card Option interface slot

Multiple interface connection (MIC)

MIC allows for simultaneous data transfer via up to three interfaces, with each interface having its own virtual printer. **Emulations**

PCL 6 (5e/XL), KPDL 3 (PostScript 3 compatible) with Automatic Emulation Sensing (AES) KC-GL, Line Printer, IBM Proprinter X24E, EPSON LQ-850, Diablo 630

Operating Systems

All current Windows operating systems, Mac OS X Version 10.2 or higher, UNIX LINUX, as well as other operating systems on request.

Controller language: PRESCRIBE IIe

Fonts

80 outline fonts (PCL), 136 outline fonts(KPDL3), 1 bitmap font, 45 types of one-dimensional bar codes, plus two-dimensional bar code PDF-417

Print features

eMPS-for quick copy, proof, and hold private print, storage and job management functionality with HD-5A hard disc drive, PDF direct printing

Scan functions (TASKalfa 181/221 option) Scan functionality

Scan-to-PC, scan-to-email, network TWAIN

Scan speed: Max. 22 originals per minute (600 dpi/A4)

Original type: Text, photo, text + photo and OCR Maximum scan size: A3

Scan resolution

600 dpi, 400 dpi, 300 dpi, 200 dpi (256 greyscales) Interface: 10/100Base-TX

Network protocol: TCP/IP

Image format: TIFF, PDF

Bundled software Scanner file utility, Address book, Address editor, TWAIN

Source, Scan to Mad

*DP-420 is required

* KYOCERA does not warrant that any specification mentioned will be error-free. Specifications are subject to change without

notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks and their respective holders and are hereby acknowledged.

Compatibility: ITU-T Super G3

Modem speed: Max. 33.6 kbps

Transmission speed: 3 seconds or less (JBIG)

Scanning density: 8 dot/mm x 3.85 line/mm. Fine: 8 dot/ mm x 7.7 line/mm, Superfine: 8 dot/mm x 15.4 line/mm, Ultrafine:16 dot/mm x 15.4 line/mm (with optional memory), halftone

Maximum original size: A3

Compression method: JBIG, MMR, MR, MH

Memory

Standard 4MB Bitmap (max. 8MB), Standard 4MB Image (max. 32MB)

Fax features

Network faxing*, rotate transmission, duplex fax reception, confidential, relay and bulletin board, transmission and reception, N-up reception, mailbox, remote diagnostics.

*Scan System(F) B is required

Bundled software Address book for fax, Address editor for fax

TK-435 Toner-kit

Microfine toner for 15,000 pages at 6% A4 coverage Capacity of starter toner for 3,000 pages at 6% A4 coverage

Printing System Z (TASKalfa 180/220 only)

Scan System (F)B, (TASKalfa 181/221 only)

Fax System (R) (TASKalfa 181/221 only)

Paper handling

DP-420 Reversing document processor: 50-sheet, Duplex scan, 45-160g/m², A3-A5R, Folio, Ledger-Statement-R PF-420 Paper feeder: 300-sheets, 64-105 g/m², A3-A5R, Folio, Ledger-Statement-R (3 can be added to the TASKalfa 180/220/181, 2 to the TASKalfa 221)

DU-420 Duplex unit: 64-105 g/m², A3-A5R, Folio, Ledger-Statement-R

JS-420 Job separator: 100-sheet, 45-160 g/m², A3-A5R, Folio, Ledger-Statement-R

DF-420 Document finisher: 500-sheet, 60–105 g/m², A3–B5, Folio, Ledger-Statement-R, Staple(30-sheet), 1 position (TASKalfa 181/221 only)

Memory

etc and eMPS

Optional interface

TASKalfa 180/220

TASKalfa 181/221

Platen cover (E)

Others

Copy memory DIMM memory: 1 additional slot for 16MB, 32MB,64MB, or 128MB

Printer memory (TASKalfa 181/221 only)

Fax memory (TASKalfa 181/221 only)

IB-110: external networkprint server

PS159: Wireless LAN (802.11b/g)

PS1109 Gigabit Ethernet:

including castors (wheels)*

CB-420L (low / wooden)

CB-420H (high / wooden)

IB-23 Network card: 10Base-T/100Base-TX

10BaseT / 100BaseTX / 1000BaseT (RJ-45) PS129 Fibre Optic: 100BaseSX (SC)

PS1129 Gigabit Fibre Optic: 1000BaseSX (SC)

Cabinets: wooden / metal with desk storage capacity

*For high cabinet, max 2 cassettes can be confirgured

KYOCERa

⁵roduct depicted includes optional extras

DIMM memory: 1 additional slot for 1GB (max. 1,152MB) CompactFlash® card: 1 slot (up to 4GB), forms, fonts, logos, macro storage HD-5A Hard disc drive: 40GB storage of data, forms, fonts,

MM-13-32: Bitmap (4MB) and Image memory (28MB)